



ELSEVIER

Carbohydrate Research 259 (1994) C11-C13

CARBOHYDRATE
RESEARCH

CONTENTS

Reliability of assigning O-H ··· O hydrogen bonds to short intermolecular O ··· O separations in cyclodextrin and oligosaccharide crystal structures T. Steiner and W. Saenger (Berlin, Germany)	1
A ¹ H NMR study of inclusion complex formation between β -cyclodextrin and monohydroxy-pyridines M. Cotta Ramusino and S. Pichini (Roma, Italy)	13
Synthesis of specifically monofluorinated ligands related to the O-polysaccharide of <i>Shigella dysenteriae</i> type 1 L.A. Mulard, P. Kováč and C.P.J. Glaudemans (Bethesda, MD, USA)	21
Oxidation of D-glucose by Cu(II) in acidic medium S. Signorella, R. Lafarga, L. Ciullo and L.F. Sala (Rosario, Argentina)	35
Structure of the <i>Acetobacter methanolicus</i> MB 129 capsular polysaccharide, and of oligosaccharides resulting from degradation by bacteriophage <i>Acm</i> 7 H.D. Grimmecke (Borstel, Germany), Y.A. Knirel (Moscow, Russian Federation), B. Kiesel (Leipzig, Germany), M. Voges and E.Th. Rietschel (Borstel, Germany)	45
The structure of the O-specific polysaccharide of <i>Salmonella arizona</i> O21 (<i>Arizona</i> 22) containing N-acetylneurameric acid E.V. Vinogradov, Y.A. Knirel, A.S. Shashkov, N.A. Paramonov, N.K. Kochetkov, E.S. Stanislavsky and E.V. Kholodkova (Moscow, Russian Federation)	59
The structure of the O-specific polysaccharide of <i>Hafnia alvei</i> strain 1216 E. Katzenellenbogen, E. Romanowska (Wroclaw, Poland), A.S. Shashkov, N.A. Kocharova, Y.A. Knirel and N.K. Kochetkov (Moscow, Russian Federation)	67
Protopectinase-T: a rhamnogalacturonase able to solubilize protopectin from sugar beet T. Sakamoto and T. Sakai (Osaka, Japan)	77
Synthesis of tetrasaccharide analogues of the N-glycan substrate of β -(1 → 2)-N-acetylglucosaminyltransferase II using trisaccharide precursors and recombinant β -(1 → 2)-N-acetylglucosaminyltransferase I F. Reck (Toronto, ON, Canada), M. Springer, H. Paulsen (Hamburg, Germany), I. Brockhausen, M. Sarkar and H. Schachter (Toronto, ON, Canada)	93
Regioselective transglycosylation in the synthesis of oligosaccharides: comparison of β -galactosidases and sialidases of various origins K. Ajisaka, H. Fujimoto and M. Isomura (Odawara, Japan)	103

Notes

Fluorination at position 6 of derivatives of methyl α -D-galactopyranoside
L.A. Mulard, P. Kováč and C.P.J. Glaudemans (Bethesda, MD, USA) 117

Improved preparation of 1,6-anhydro-4-deoxy-2-O-p-toluenesulphonyl- β -D-xylo-hexopyranose and of its D-[4- 2 H]gluco-analogue from 1,6:3,4-dianhydro-2-O-p-toluenesulphonyl- β -D-galactopyranose
T. Trnka, M. Buděšínský and M. Černý (Prague, Czech Republic) 131

Synthesis of (\pm) 3,6-di-O-benzyl-2-myo-inosose 1,4,5-tri-O-dibenzylphosphate as potential intermediate for the preparation of tritium-labelled myo-inositol 1,4,5-triphosphate
N. Schnetz-Boutaud, B. Spiess and G. Schlewer (Illkirch, France) 135

Photochemical access to alkyl 3-deoxyglycopyranosid-4-uloses
J. Cossy and S. Ibhi (Paris, France) 141

Somatic antigens of pseudomonads: structure of the O-specific polysaccharide of *Pseudomonas fluorescens* biovar A strain IMV 472
Y.A. Knirel (Moscow, Russian Federation), S.N. Veremeychenko (Kiev, Ukraine), G.M. Zdroovenko, A.S. Shashkov, N.A. Paramonov (Moscow, Russian Federation), I.Ya. Zakharchova (Kiev, Ukraine) and N.K. Kochetkov (Moscow, Russian Federation) 147

The structure of the O-specific polysaccharide of *Pseudomonas solanacearum* strain 8089
N.A. Kocharova, A.S. Shashkov, Y.A. Knirel (Moscow, Russian Federation), L.D. Varbanets and N.V. Moskalenko (Kiev, Ukraine) 153

Preliminary communication

2-Acetamido-4-O-[(S)-1-carboxyethyl]-2-deoxy-D-glucose: a new natural isomer of N-acetyl-muramic acid from the O-specific polysaccharide of *Proteus penneri* 35
Y.A. Knirel, N.A. Paramonov, E.V. Vinogradov, N.K. Kochetkov (Moscow, Russian Federation), Z. Sidorczyk and K. Zych (Łódź, Poland) C1

Regular papers

Conformational analysis and computer modelling of muramic acid δ -lactam structures
Z. Banić, B. Kojić-Prodić (Zagreb, Croatia), L. Kroon-Batenburg (Utrecht, Netherlands) and D. Keglević (Zagreb, Croatia) 159

Synthesis and conformational analysis of 2-(indol-3-yl)ethyl α -L-arabinopyranoside and its 2,3,4-tri-O-acetyl derivative
S. Tomić (Zagreb, Croatia), B.P. Van Eijck, J. Kroon (Utrecht, Netherlands), B. Kojić-Prodić, G. Laćan, V. Magnus (Zagreb, Croatia), H. Duddeck (Hannover, Germany) and M. Hiegemann (Bochum, Germany) 175

A new synthesis of L-talose and preparation of its adenine nucleosides
L.M. Lerner and G. Mennitt (Brooklyn, NY, USA) 191

Synthesis of KDN-lactotetraosylceramide, KDN-neolactotetraosylceramide, and KDN-Lewis X ganglioside
T. Terada, M. Kiso and A. Hasegawa (Gifu, Japan) 210

Synthesis of (2 <i>R</i> ,3 <i>R</i> ,4 <i>S</i>)-2-hydroxymethylpyrrolidine-3,4-diol from (2 <i>S</i>)-3,4-dehydroproline derivatives D.M. Goli, B.V. Cheesman (Toledo, OH, USA), M.E. Hassan (Aswan, Egypt), R. Lodaya and J.T. Slama (Toledo, OH, USA)	219
<i>N</i> -Containing sugars from <i>Morus alba</i> and their glycosidase inhibitory activities N. Asano, K. Oseki, E. Tomioka, H. Kizu and K. Matsui (Ishikawa, Japan)	243
Structure of a hexasaccharide proximal to the hydrophobic region of lipopolysaccharides present in <i>Bordetella pertussis</i> endotoxin preparations S. Lebbar, M. Caroff, L. Szabó, C. Mérienne (Orsay, France) and L. Szilógyi (Debrecen, Hungary)	257
<i>Notes</i>	
¹³ C- ¹ H Spin-coupling constants in carbohydrates: magnitude and sign determinations via 2D NMR methods A.S. Serianni and C.A. Podlasek (Notre Dame, IN, USA)	277
Carbohydrate haptens: 4-nitrophenyl 2-acetamido-2-deoxy- β -D-glucopyranosyl-(1 → 6)- α -D-mannopyranosyl-(1 → 6)- β -D-mannopyranoside and a related trisaccharide S.H. Khan and K.L. Matta (Buffalo, NY, USA)	283
A simple method for the preparation of thioglycosides of <i>N</i> -acetylneuraminic acid S. Bennett, M. Von Itzstein and M.J. Kiefel (Parkville, Australia)	293
The synthesis of 2,3-didehydro-2,4-dideoxy-4-guanidinyl- <i>N</i> -acetylneuraminic acid: a potent influenza virus sialidase inhibitor M. Von Itzstein, W.-Y. Wu and B. Jin (Parkville, Australia)	301
A convenient chemoenzymatic synthesis of D- and L- <i>myo</i> -inositol 1,4,5,6-tetrakisphosphate S. Ozaki, L. Ling, T. Ogasawara, Y. Watanabe (Matsuyama, Japan) and M. Hirata (Fukuoka, Japan)	307
Relationship of chemical shift to glycosidic conformation in the solid-state ¹³ C NMR spectra of (1 → 4)-linked glucose polymers and oligomers: anomeric and related effects M.C. Jarvis (Glasgow, United Kingdom)	311
<i>Author index</i>	C5
<i>Subject index</i>	C7
<i>Contents</i>	C11

